# **Safety Data Sheet**

Issue Date: 14-Jun-2016 Revision Date: 29-Jun-2016 Version 1

### 1. IDENTIFICATION

**Product Identifier** 

**Product Name** M-TAC Non-Aerosol Pre-Tape Spray

Other means of identification

SDS# MSM-009

**UN/ID No** UN1993

Recommended use of the chemical and restrictions on use **Recommended Use** Non-aerosol pre-tape spray.

Details of the supplier of the safety data sheet

**Supplier Address** 

Mueller Sports Medicine, Inc. One Quench Drive Prairie du Sac, WI 53578

**Emergency Telephone Number** 

**Company Phone Number** Phone: (608) 643-8530 or 1-800-356-9522

Fax: (608) 643-2568 or 1-800-852-4334 INFOTRAC 1-352-323-3500 (International)

**Emergency Telephone (24 hr)** 1-800-535-5053 (North America)

#### 2. HAZARDS IDENTIFICATION

Appearance Brown liquid Physical state Liquid Odor Alcohol

#### Classification

| Skin corrosion/irritation                        | Category 2 |
|--------------------------------------------------|------------|
| Serious eye damage/eye irritation                | Category 2 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Aspiration toxicity                              | Category 1 |
| Flammable Liquids                                | Category 2 |

## Signal Word

Danger

#### **Hazard statements**

Causes skin irritation Causes serious eye irritation May be fatal if swallowed and enters airways May cause respiratory irritation. May cause drowsiness or dizziness Highly flammable liquid and vapor



#### **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Toxic to aquatic life with long lasting effects

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name       | CAS No.  | Weight-% |
|---------------------|----------|----------|
| Isopropanol         | 67-63-0  | 70-75    |
| N-Heptane           | 142-82-5 | 5-10     |
| 3-Methylhexane      | 589-34-4 | 0-6      |
| Methylcyclohexane   | 108-87-2 | 0-4      |
| 2-Methylhexane      | 591-76-4 | 0-3      |
| 3-Ethylpentane      | 617-78-7 | 0-1      |
| 2,3-Dimethylpentane | 565-59-3 | 0-1      |

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. FIRST AID MEASURES

#### **First Aid Measures**

**General Advice** Provide this SDS to medical personnel for treatment.

**Eye Contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get

Revision Date: 29-Jun-2016

medical advice/attention.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT

induce vomiting.

#### Most important symptoms and effects

**Symptoms** May be harmful if swallowed. May be harmful in contact with skin. Causes skin irritation.

Causes serious eye irritation. May be fatal if swallowed and enters airways.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor.

#### **Explosion Data**

**Sensitivity to Static Discharge** Take precautionary measures against static discharge.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wear protective

gloves/protective clothing and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Keep cool.

Revision Date: 29-Jun-2016

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up.

**Incompatible Materials**None known based on information supplied.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

| Chemical Name       | Chemical Name ACGIH TLV      |                                                                 | NIOSH IDLH                             |
|---------------------|------------------------------|-----------------------------------------------------------------|----------------------------------------|
| Isopropanol         | STEL: 400 ppm                | TWA: 400 ppm                                                    | IDLH: 2000 ppm                         |
| 67-63-0             | TWA: 200 ppm                 | TWA: 980 mg/m <sup>3</sup>                                      | TWA: 400 ppm                           |
|                     |                              | (vacated) TWA: 400 ppm                                          | TWA: 980 mg/m <sup>3</sup>             |
|                     |                              | (vacated) TWA: 980 mg/m <sup>3</sup>                            | STEL: 500 ppm                          |
|                     |                              | (vacated) STEL: 500 ppm                                         | STEL: 1225 mg/m <sup>3</sup>           |
|                     |                              | (vacated) STEL: 1225 mg/m <sup>3</sup>                          |                                        |
| N-Heptane           | STEL: 500 ppm                | TWA: 500 ppm                                                    | IDLH: 750 ppm                          |
| 142-82-5            | TWA: 400 ppm                 | TWA: 2000 mg/m <sup>3</sup>                                     | Ceiling: 440 ppm 15 min                |
|                     |                              | (vacated) TWA: 400 ppm                                          | Ceiling: 1800 mg/m <sup>3</sup> 15 min |
|                     |                              | (vacated) TWA: 1600 mg/m <sup>3</sup>                           | TWA: 85 ppm                            |
|                     |                              | (vacated) STEL: 500 ppm                                         | TWA: 350 mg/m <sup>3</sup>             |
|                     |                              | (vacated) STEL: 2000 mg/m <sup>3</sup>                          |                                        |
| 3-Methylhexane      | STEL: 500 ppm                | -                                                               | -                                      |
| 589-34-4            | TWA: 400 ppm                 |                                                                 |                                        |
| Methylcyclohexane   | TWA: 400 ppm                 | TWA: 500 ppm                                                    | IDLH: 1200 ppm                         |
| 108-87-2            |                              | TWA: 2000 mg/m <sup>3</sup>                                     | TWA: 400 ppm                           |
|                     |                              | (vacated) TWA: 400 ppm<br>(vacated) TWA: 1600 mg/m <sup>3</sup> | TWA: 1600 mg/m <sup>3</sup>            |
|                     | 2-Methylhexane STEL: 500 ppm |                                                                 |                                        |
| •                   |                              |                                                                 | -                                      |
| 591-76-4            | TWA: 400 ppm                 |                                                                 |                                        |
| 3-Ethylpentane      | STEL: 500 ppm                | -                                                               | -                                      |
| 617-78-7            | TWA: 400 ppm                 |                                                                 |                                        |
| 2,3-Dimethylpentane | STEL: 500 ppm                | -                                                               | -                                      |
| 565-59-3            | TWA: 400 ppm                 |                                                                 |                                        |

#### **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid **Appearance** Brown liquid

Color Brown **Odor Threshold** Not determined

Property Values Remarks • Method

рH Not determined

Melting Point/Freezing Point Not determined **Boiling Point/Boiling Range** 82 °C / 180 °F -3.8 °C / 25 °F Flash Point

**Evaporation Rate** Not determined Flammability (Solid, Gas) Liquid- Not Applicable

Flammability Limits in Air

**Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined Vapor Density Not determined **Relative Density** Not determined **Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Odor

(based on isopropanol)

Alcohol

#### 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye irritation.

**Skin Contact** May be harmful in contact with skin. Causes skin irritation.

Inhalation Do not inhale.

Ingestion May be harmful if swallowed.

#### **Component Information**

| Chemical Name                          | ATEmix (oral)      | ATEmix (dermal)          | Inhalation LC50                       |  |
|----------------------------------------|--------------------|--------------------------|---------------------------------------|--|
| Isopropanol<br>67-63-0                 | = 1870 mg/kg (Rat) | = 4059 mg/kg ( Rabbit )  | = 72600 mg/m <sup>3</sup> ( Rat ) 4 h |  |
| N-Heptane<br>142-82-5                  | -                  | = 3000 mg/kg ( Rabbit )  | = 103 g/m³ ( Rat ) 4 h                |  |
| Ester or hydrogenated rosin 65997-13-9 | > 2000 mg/kg (Rat) | -                        | -                                     |  |
| Methylcyclohexane<br>108-87-2          | > 3200 mg/kg (Rat) | > 86700 mg/kg ( Rabbit ) | -                                     |  |

#### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

| Chemical Name | ACGIH | IARC    | NTP | OSHA |
|---------------|-------|---------|-----|------|
| Isopropanol   |       | Group 3 |     | X    |
| 67-63-0       |       |         |     |      |

#### Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"
OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Aspiration hazard** May be fatal if swallowed and enters airways.

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2,281.00 mg/kg ATEmix (dermal) 4,673.00 mg/kg ATEmix (inhalation-dust/mist) 90.00 mg/L

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

#### **Component Information**

| Chemical Name | Algae/aquatic plants             | Fish                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Crustacea                      |
|---------------|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Isopropanol   | 1000: 96 h Desmodesmus           | 1400000: 96 h Lepomis macrochirus                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 13299: 48 h Daphnia magna mg/L |
| 67-63-0       | subspicatus mg/L EC50 1000: 72 h | μg/L LC50 9640: 96 h Pimephales                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | EC50                           |
|               | Desmodesmus subspicatus mg/L     | promelas mg/L LC50 flow-through                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                |
|               | EC50                             | 11130: 96 h Pimephales promelas                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                |
|               |                                  | mg/L LC50 static                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                |
| N-Heptane     |                                  | 375.0: 96 h Cichlid fish mg/L LC50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 10: 24 h Daphnia magna mg/L    |
| 142-82-5      |                                  | , and the second | EC50                           |

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

#### **Mobility**

| Chemical Name          | Partition Coefficient |
|------------------------|-----------------------|
| Isopropanol<br>67-63-0 | 0.05                  |
| N-Heptane<br>142-82-5  | 4.66                  |

#### **Other Adverse Effects**

Not determined

### 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

#### California Hazardous Waste Status

| Chemical Name       | California Hazardous Waste Status |  |
|---------------------|-----------------------------------|--|
| Isopropanol         | Toxic                             |  |
| 67-63-0             | Ignitable                         |  |
| N-Heptane           | Toxic                             |  |
| 142-82-5            | Ignitable                         |  |
| 3-Methylhexane      | Toxic                             |  |
| 589-34-4            | Ignitable                         |  |
| Methylcyclohexane   | Toxic                             |  |
| 108-87-2            | Ignitable                         |  |
| 2-Methylhexane      | Toxic                             |  |
| 591-76-4            | Ignitable                         |  |
| 3-Ethylpentane      | Toxic                             |  |
| 617-78-7            | Ignitable                         |  |
| 2,3-Dimethylpentane | Toxic                             |  |
| 565-59-3            | Ignitable                         |  |

#### 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

**UN/ID No** UN1993

Proper Shipping Name Flammable liquids, n.o.s. (Isopropanol, heptanes)

Hazard Class 3
Packing Group ||

**IATA** 

UN/ID No UN1993

**Proper Shipping Name** Flammable liquid, n.o.s. (isopropanol, heptanes)

Hazard Class 3
Packing Group ||

. . ,

Revision Date: 29-Jun-2016

**IMDG** 

UN/ID No UN1993

**Proper Shipping Name** Flammable liquid, n.o.s. (isopropanol, heptanes)

Hazard Class 3
Packing Group 1

Marine Pollutant Yes, if inner packagings exceed 5L

#### 15. REGULATORY INFORMATION

#### **International Inventories**

| Chemical Name               | TSCA | DSL/NDSL | EINECS/E<br>LINCS | ENCS    | IECSC | KECL    | PICCS | AICS |
|-----------------------------|------|----------|-------------------|---------|-------|---------|-------|------|
| Isopropanol                 | Χ    | Х        | Х                 | Present | Х     | Present | Χ     | Х    |
| N-Heptane                   | Х    | Х        | Х                 | Present | Х     | Present | Х     | Х    |
| 3-Methylhexane              | Х    | Х        | Х                 | Present | Х     | Present | Х     |      |
| Ester or hydrogenated rosin | Х    | Х        | Х                 | Present | Х     | Present | Х     | Х    |
| Methylcyclohexane           | Х    | Х        | Х                 | Present | Х     | Present | Х     | Х    |
| 2-Methylhexane              | Х    | Х        | Х                 | Present | Х     | Present | Х     |      |
| 3-Ethylpentane              |      | Х        | Х                 | Present | Х     | Present | Х     |      |
| 2,3-Dimethylpentane         | Х    | Х        | Х                 | Present | Х     | Present | Χ     |      |

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name         | CAS No. | Weight-% | SARA 313 - Threshold<br>Values % |
|-----------------------|---------|----------|----------------------------------|
| Isopropanol - 67-63-0 | 67-63-0 | 70-75    | 1.0                              |

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

| Chemical Name                   | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------|------------|---------------|--------------|
| Isopropanol<br>67-63-0          | X          | X             | X            |
| N-Heptane<br>142-82-5           | X          | X             | X            |
| 3-Methylhexane<br>589-34-4      | X          | X             | X            |
| Methylcyclohexane<br>108-87-2   | X          | X             | X            |
| 2-Methylhexane<br>591-76-4      |            | X             | X            |
| 2,3-Dimethylpentane<br>565-59-3 | X          | X             | X            |

#### 16. OTHER INFORMATION

NFPA **Health Hazards** Flammability Instability **Special Hazards** Not determined Not determined Not determined Not determined **Health Hazards Flammability** Physical hazards **Personal Protection** HMIS Not determined Not determined Not determined Not determined

Issue Date: 14-Jun-2016 **Revision Date:** 29-Jun-2016 **Revision Note:** New format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**